EAST Search History

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------------|-------|---|--------------------|---------------------|---------|---------------------|
| S1 | 1 | carlier-v\$.in. | US-PGPUB; USPAT | OR | OFF | 2007/06/06 13:03 |
| S2 | 2 | chabanne-h\$.in. | US-PGPUB; USPAT | OR | OFF | 2007/06/06 13:04 |
| S3 | 1 | dottax.in. | US-PGPUB; USPAT | OR | OFF | 2007/06/06 13:04 |
| S4 | 261 | sagem.as. | US-PGPUB; USPAT | OR | OFF | 2007/06/06 13:04 |
| S5 | 10546 | (protect\$3 secur\$3) with (crypto\$7 encrypt\$3) with (procedure algorithm step) | US-PGPUB; USPAT | OR | ON | 2007/06/06 13:06 |
| S6 | 4364 | (protect\$3 secur\$3) with (crypto\$7 encrypt\$3) adj (procedure algorithm step) | US-PGPUB; USPAT | OR | ON | 2007/06/06 13:06 |
| S7 | 628 | (protect\$3 secur\$3) near2 (crypto\$7 encrypt\$3) adj (algorithm) | US-PGPUB; USPAT | OR | ON | 2007/06/06 13:06 |
| S8 | 107 | (protect\$) near2 (crypto\$7 encrypt\$3) adj (algorithm) | US-PGPUB; USPAT | OR | ON | 2007/06/06 13:06 |
| S9 | 107 | (protect\$3) near2 (crypto\$7 encrypt\$3) adj (algorithm) | US-PGPUB; USPAT | OR | ON | 2007/06/06 13:06 |
| S 10 | 77 | (protect\$3) near2 (crypto\$7 encrypt\$3) adj (algorithm) and (@ad<"20031017" @prad<"20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 13:59 |
| S11 | 65 | (compromis\$3) with (crypto\$7 encrypt\$3) adj (algorithm) and (@ad<"20031017" @prad<"20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 13:15 |
| S12 | 4 | (("6934887") or ("6282290") or ("5991415") or ("6092229")).PN. | USPAT | OR | OFF | 2007/06/06 13:57 |
| S13 | 0 | (delet\$3 eras\$3 destroy\$3) near2 (crypto\$7 encrypt\$3) adj (algorithm) with compromis \$3 and (@ad<"20031017" @prad<"20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 14:00 |
| S14 | 0 | (delet\$3 eras\$3 destroy\$3) with (crypto\$7 encrypt\$3) adj (algorithm) with compromis\$3 and (@ad< "20031017" @prad< "20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 14:01 |

| S15 | 0 | (delet\$3 eras\$3 destroy\$3) with (crypto\$7 encrypt\$3) adj (algorithm formula) with compromis\$3 and (@ad<"20031017" @prad<"20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 14:01 |
|-------------|--------|---|--------------------|----|-----|---------------------|
| S16 | 2 | (delet\$3 eras\$3 destroy\$3) same (crypto\$7 encrypt\$3) adj (algorithm formula) with compromis\$3 and (@ad<"20031017" @prad<"20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 14:02 |
| S17 | 561690 | (delet\$3 eras\$3 destroy\$3) memory and (crypto\$7 encrypt \$3) adj (algorithm formula) with compromis\$3 and (@ad<"20031017" @prad<"20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 14:02 |
| S18 | 5 | (delet\$3 eras\$3 destroy\$3) with memory and (crypto\$7 encrypt\$3) adj (algorithm formula) with compromis\$3 and (@ad<"20031017" @prad<"20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 14:12 |
| S19 | 0 | (delet\$3 eras\$3 destroy\$3) with (DES AES 3DES crypto\$7 encrypt\$3) adj (algorithm formula) with compromis\$3 and (@ad< "20031017" @prad< "20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 14:13 |
| S 20 | 61 | (delet\$3 eras\$3 destroy\$3) with (DES AES 3DES crypto\$7 encrypt\$3) adj (algorithm formula) and (@ad<"20031017" @prad<"20031017") | US-PGPUB; USPAT | OR | ON | 2007/06/06 14:13 |
| S21 | 1 | ("2004/0187035").URPN. | USPAT | OR | OFF | 2007/06/06 14:28 |
| S22 | 3 | (("6374354") or ("6925562") or ("7124170")).PN. | USPAT | OR | OFF | 2007/06/06 14:30 |
| S23 | 11190 | (ECM EMM) | US-PGPUB; USPAT | OR | OFF | 2007/06/06 16:46 |
| S24 | 74 | (ECM EMM).ti. | US-PGPUB; USPAT | OR | OFF | 2007/06/06 16:47 |
| S25 | 402 | entitlement near control near message | US-PGPUB; USPAT | OR | OFF | 2007/06/06 16:47 |
| S26 | 24 | (entitlement near control near message) ab. | US-PGPUB; USPAT | OR | OFF | 2007/06/06 16:47 |

| S27 | 8 | (split\$4 divid\$3 half halving separat\$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:03 |
|-------------|------|---|--------------------|----|----|-----------------------------|
| S28 | 9 | (split\$4 divid\$3 half halving separa\$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:14 |
| S29 | 2 | (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with (two multiple) adj polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/0 2 17:09 |
| S30 | 3 | (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with combin\$3 with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:09 |
| S31 | 3 | (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with combin\$4 with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:10 |
| S32 | 7 | (transfer\$4 send\$3 transmit \$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:10 |
| S3 3 | 83 | (split\$4 divid\$3 half halving separa\$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with (transfer\$4 send \$3 transmit\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:20 |
| S34 | 0 | (split\$4 divid\$3 half halving separa\$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with (transfer\$4 send \$3 transmit\$4) with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:21 |
| S35 | 1167 | (protect\$3 secur\$3) with (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with (transfer \$4 send\$3 transmit\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:26 |
| S36 | 765 | (split\$4 divid\$3 half halving separa\$4) with (method algorithm procedure formula process) with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:25 |

| S37 | 1 | S35 and S36 | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:21 |
|-----|------|---|--------------------|----|----|---------------------|
| S38 | 3099 | (split\$4 divid\$3 half halving separa\$4) with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:26 |
| S39 | 2292 | (split\$4 divid\$3 half halving separa\$4) near6 polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:26 |
| S40 | 1 | S35 and S39 | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:27 |
| S41 | 2 | S35 and S38 | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:27 |
| S42 | 1 | S35 and S38 not S40 | US-PGPUB; USPAT | OR | ON | 2008/01/02 17:27 |
| S43 | 18 | (protect\$3 secur\$3) with (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with (transfer \$4 send\$3 transmit\$4) with (split\$4 divid\$3 half halving separa\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:32 |
| S44 | 5 | (install\$5 enabl\$5 embed\$4 deriv\$5) with (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:44 |
| S45 | 70 | (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with polynomial | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:44 |
| S46 | 65 | (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with polynomial not \$44 | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:46 |
| S47 | 3803 | (transfer\$4 send\$3 transmit \$3) with (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:46 |
| S48 | 196 | (transfer\$4 send\$3 transmit \$3) adj2 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:46 |
| S49 | 0 | (transfer\$4 send\$3 transmit \$3) adj2 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) same (polynomial\$2 algebraic\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:47 |

| S50 | 5 | (transfer\$4 send\$3 transmit \$3) adj2 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and(polynomial\$2 algebraic\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:50 |
|-----|---------|---|--------------------|----|-----|---------------------|
| S51 | 5 | (transfer\$4 send\$3 transmit \$3) adj2 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and (polynomial\$2 algebraic\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:47 |
| S52 | 2666062 | (transfer\$4 send\$3 transmit \$3) ad5 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and(polynomial\$2 algebraic\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:50 |
| S53 | 73 | (transfer\$4 send\$3 transmit \$3) adj5 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and(polynomial\$2 algebraic\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:52 |
| S54 | 0 | (transfer\$4 send\$3 transmit \$3) adj5 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) same (polynomial\$2 algebraic\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:51 |
| S55 | 4 | (distribut\$3) adj5 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and(polynomial\$2 algebraic\$4) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:53 |
| S56 | 20 | (distribut\$3) adj (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:53 |
| S57 | 20 | (distribut\$3) adj (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) not S55 | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:59 |
| S58 | 0 | ("7110548").URPN. | USPAT | OR | OFF | 2008/01/03 10:57 |

| S59 | 24 | ("4982429" "5103479" "5155680" "5185796" "5222139" "5355413" "5509072" "5594798" "5657390" "5679984" "5689566" "5781654" "5812671" "5857025" "5898784" "6058478" "6076167" "6181814" "6182076" "6230186" "6230267" "6590588" "RE36946" "RE38070").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/01/03 10:57 |
|-------------|------|---|------------------------------|----|-----|---------------------|
| S60 | 40 | (updat\$3) adj (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) not \$55 | US-PGPUB; USPAT | OR | ON | 2008/01/03 10:59 |
| S61 | 36 | (updat\$3) adj (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) not \$57 | US-PGPUB; USPAT | OR | ON | 2008/01/03 11:05 |
| S62 | 20 | turing adj comput\$5 | US-PGPUB; USPAT | OR | ON | 2008/01/03 11:05 |
| S63 | 0 | ("7162032").URPN. | USPAT | OR | OFF | 2008/01/03 11:16 |
| S64 | 295 | polynomial adj algorithm | US-PGPUB; USPAT | OR | ON | 2008/01/03 11:16 |
| S6 5 | 827 | polynomial adj2 algorithm | US-PGPUB; USPAT | OR | ON | 2008/01/03 11:16 |
| S 66 | 7 | polynomial adj2 (encrypt\$3 cryptograph\$6) adj algorithm | US-PGPUB; USPAT | OR | ON | 2008/01/03 11:39 |
| S67 | 31 | NTRU! near encrypt\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/03 11:39 |
| S73 | 1 | domain near (authenticat\$3 authori\$6 verif\$7 valid\$5) same group near key | US-PGPUB; USPAT | OR | ON | 2008/01/03 14:13 |
| S74 | 1754 | domain near (authenticat\$3 authori\$6 verif\$7 valid\$5) | US-PGPUB; USPAT | OR | ON | 2008/01/03 14:13 |
| S75 | 134 | domain near (authenticat\$3 authori\$6 verif\$7 valid\$5) with key | US-PGPUB; USPAT | OR | ON | 2008/01/03 14:13 |
| S76 | 81 | domain adj (authenticat\$3 authori\$6 verif\$7 valid\$5) with key | US-PGPUB; USPAT | OR | ON | 2008/01/03 14:13 |
| S77 | 182 | factor\$3 adj polynomial | US-PGPUB; USPAT | OR | ON | 2008/07/21 17:39 |
| S78 | 191 | factor\$3 adj (polynomial ((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula))) | US-PGPUB; USPAT | OR | ON | 2008/07/21 17:39 |
| S79 | 9 | S78 not S77 | US-PGPUB; USPAT | OR | ON | 2008/07/21 17:40 |

| S80 | 37 | factoring adj (polynomial ((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula))) | US-PGPUB; USPAT | MOR | ON | 2008/07/21 17:40 |
|-----|-----|---|--------------------|-----|----|---------------------|
| S81 | 0 | factoring adj (polynomial ((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula))) not S80 | US-PGPUB; USPAT | mOR | ON | 2008/07/21 17:40 |
| S82 | 37 | factoring adj (polynomial ((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula))) not S79 | US-PGPUB; USPAT | OR | ON | 2008/07/21 17:40 |
| S83 | 3 | ((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula)) with quadratic | US-PGPUB; USPAT | OR | ON | 2008/07/21 17:47 |
| S84 | 880 | combin\$5 with quadratic | US-PGPUB; USPAT | OR | ON | 2008/07/21 17:53 |
| S85 | 99 | combin\$5 adj quadratic | US-PGPUB; USPAT | OR | ON | 2008/07/21 17:53 |

7/22/08 12:44:50 PM

C:\ Documents and Settings\ claforgia\ My Documents\ EAST\ Workspaces\ 10574909.wsp